# Summary of the Burials in the Passo Marinaro Sample

The following list contains information that was compiled for *The Bioarchaeology of Classical Kamarina*, and each entry represents a single burial. The entries are labeled by 'tomb number' and consist of osteological and burial data. Tomb numbers were assigned by the excavator, Giovanni Di Stefano. These numbers first appear in his field notes, and are consistently used in publications concerning the Passo Marinaro necropolis (e.g., Di Stefano 1984–1985, 742–61). However, five designations, "No Number 1 through 5" (NN1–5), were created by the author of this dissertation to denote skeletons from Passo Marinaro that had become separated from their tomb numbers and archaeological context. All osteological data (minimum number of individuals, preservation, chronological age, social age, sex, stature, pathology, nonmetric traits, animal bone) derive from non-destructive analyses performed by the author in accordance with the protocol outlined by the British Association for Biological Anthropology and Osteoarchaeology (BABAO) (Brickley and McKinley 2004). Burial data (body position, head position, grave orientation, burial receptacle, grave goods) were obtained from a list published by the excavator (Di Stefano 1984–1985, 742–61).

#### Tomb 3

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Burial Receptacle</u>: None; <u>Grave Goods</u>: Fragmented aryballos, kylix.

#### Tomb 4

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Indeterminate; <u>Social Age</u>: Unknown; <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Unknown; <u>Head Position</u>: Unknown; <u>Grave Orientation</u>: Unknown; <u>Burial Receptacle</u>: None; <u>Grave Goods</u>: Miniature amphora, fragmented lamp, dagger, miniature patera (phiale).

#### Tomb 5

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Indeterminate; <u>Social Age</u>: Unknown; <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Burial Receptacle</u>: None; <u>Grave Goods</u>: Miniature olpe, 2 unguentaria, guttus.

#### Tomb 6

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Indeterminate; <u>Social Age</u>: Unknown; <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Unknown; <u>Head Position</u>: Unknown; <u>Grave Orientation</u>: Unknown; <u>Burial Receptacle</u>: None; <u>Grave Goods</u>: Pstrinum containing 3 rocks, lamp, miniature pyxis, architectural fragment.

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Indeterminate; <u>Social Age</u>: Unknown; <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: Healed periostitis; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Burial Receptacle</u>: None; <u>Grave Goods</u>: Black-figure fragments.

### Tomb 15

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: Linear enamel hypoplasia; <u>Nonmetric Traits</u>: (left) parietal foramen, mastoid foramen extrasutural, (right) absent zygomaticofacial foramen; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: Unknown; <u>Grave Orientation</u>: SW—NE; <u>Burial Receptacle</u>: None; <u>Grave Goods</u>: Unguentarium, miniature cup.

#### Tomb 18

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: Linear enamel hypoplasia, dental caries; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: North; <u>Grave Orientation</u>: E—W; <u>Burial Receptacle</u>: None; <u>Grave Goods</u>: 2 miniature cups, 2 cups, lamp, horse teeth.

#### Tomb 19

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 5; <u>Chronological Age</u>: Adolescent (14–16 years); <u>Social Age</u>: Pubertal Childhood 2 (13/14–17 years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: Linear enamel hypoplasia; <u>Nonmetric Traits</u>: Shovel-shaped incisors, (left) 2 ossicles at lamboid suture; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Burial Receptacle</u>: None; <u>Grave Goods</u>: None.

#### Tomb 20

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Indeterminate; <u>Social Age</u>: Unknown; <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: Blunt force trauma; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Burial Receptacle</u>: None; <u>Grave Goods</u>: None.

#### Tomb 23

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 5; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: West; <u>Grave Orientation</u>: E—W; <u>Burial</u> <u>Receptacle</u>: None; <u>Grave Goods</u>: None.

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 5; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Unknown; <u>Head Position</u>: Unknown; <u>Grave Orientation</u>: E—W; <u>Burial</u> <u>Receptacle</u>: None; <u>Grave Goods</u>: Illegible coin, 2 miniature cups.

#### Tomb 26

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Juvenile (9 ± 3 years); <u>Social Age</u>: Pre-Pubertal Childhood 2 (7/8–13/14 years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: (left) ossicle at asterion; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: North; <u>Grave Orientation</u>: NE—SW; <u>Burial Receptacle</u>: *a cappuccina*; <u>Grave Goods</u>: Fragment of bronze needle.

### Tomb 28

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 50–75%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Adult (20+ years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body</u> <u>Position</u>: Supine; <u>Head Position</u>: North; <u>Grave Orientation</u>: NE—SW; <u>Burial Receptacle</u>: *a cappuccina*; <u>Grave Goods</u>: None.

#### Tomb 29

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Adult (20+ years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: Linear enamel hypoplasia, antemortem tooth loss; <u>Nonmetric</u> <u>Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: Southwest; <u>Grave</u> <u>Orientation</u>: NE—SW; <u>Burial Receptacle</u>: None; <u>Grave Goods</u>: 1 miniature cup, 1 fragmented miniature cup, unguentarium.

#### Tomb 30

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Middle Adult (35–50 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Unknown; <u>Head Position</u>: Unknown; <u>Grave Orientation</u>: Unknown; <u>Burial</u> <u>Receptacle</u>: Enlargement of the road (ditch?); <u>Grave Goods</u>: 2 miniature cups, 3 bowls, 2 miniature bowls.

#### Tomb 35

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Juvenile (7 ± 2 years); <u>Social Age</u>: Pre-Pubertal Childhood 1 (3–7/8 years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal</u> <u>Bone</u>: None; <u>Body Position</u>: Unknown; <u>Head Position</u>: Unknown; <u>Grave Orientation</u>: Unknown; <u>Burial Receptacle</u>: <u>Enchytrismos</u> amphora; <u>Grave Goods</u>: Miniature olpe, unguentarium.

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: Antemortem tooth loss; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Unknown; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Burial Receptacle</u>: None; <u>Grave Goods</u>: None.

### Tomb 40

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 5; <u>Chronological Age</u>: Infant (3 ± 1 year); <u>Social Age</u>: Pre-Pubertal Childhood 1 (3–7/8 years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal</u> <u>Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: Southwest; <u>Grave Orientation</u>: NE—SW; <u>Burial Receptacle</u>: *a cappuccina*; <u>Grave Goods</u>: Needle.

### Tomb 42

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Burial Receptacle</u>: None; <u>Grave Goods</u>: Miniature amphora.

### Tomb 44

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Infant (1–2 years); <u>Social Age</u>: Infant (birth–2 years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body</u> <u>Position</u>: Unknown; <u>Head Position</u>: Unknown; <u>Grave Orientation</u>: NW—SE; <u>Burial Receptacle</u>: *a cappuccina*; <u>Grave Goods</u>: None.

# Tomb 46

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Juvenile (7 ± 2 years); <u>Social Age</u>: Pre-Pubertal Childhood 1 (3–7/8 years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal</u> <u>Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Burial</u> <u>Receptacle</u>: None; <u>Grave Goods</u>: None.

#### Tomb 47

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Adolescent (13–14 years); <u>Social Age</u>: Pubertal Childhood (13/14–17 years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Unknown; <u>Head Position</u>: Unknown; <u>Grave Orientation</u>: N—S; <u>Burial Receptacle</u>: *a cappuccina*; <u>Grave Goods</u>: None.

#### Tomb 51

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Adult (20+ years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: Antemortem tooth loss; <u>Nonmetric Traits</u>: None; <u>Animal</u> <u>Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: North; <u>Grave Orientation</u>: N—S; <u>Burial</u> <u>Receptacle</u>: *a cappuccina*; <u>Grave Goods</u>: Amphora.

# Tomb 52

<u>Minimum Number of Individuals</u>: 2; <u>Completeness</u>:1–25%/1–25%; <u>Preservation</u>: Both Grade 5; <u>Chronological Age</u>: Young Adult/Indeterminate; <u>Social Age</u>: Adult (17+ years)/Unknown; <u>Sex</u>: Both Indeterminate; <u>Stature</u>: Both Indeterminate; <u>Pathology</u>: Linear enamel hypoplasia/ linear enamel hypoplasia; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine/Unknown; <u>Head Position</u>: Northeast/Unknown; <u>Grave Orientation</u>: NE–SW; <u>Burial</u> <u>Receptacle</u>: None; <u>Grave Goods</u>: None.

# Tomb 53

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: Linear enamel hypoplasia, dental caries; <u>Nonmetric Traits</u>: (left) 1 ossicle in lamboid suture; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Burial Receptacle</u>: None; <u>Grave Goods</u>: None.

# Tomb 62

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Adult (20+ years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: Linear enamel hypoplasia; <u>Nonmetric Traits</u>: None; <u>Animal</u> <u>Bone</u>: None; <u>Body Position</u>: Unknown; <u>Head Position</u>: Unknown; <u>Grave Orientation</u>: E—W; <u>Burial Receptacle</u>: *a cappuccina*; <u>Grave Goods</u>: Skyphos.

# Tomb 63

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 5; <u>Chronological Age</u>: Middle Adult (35–50 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Unknown; <u>Head Position</u>: Unknown; <u>Grave Orientation</u>: E—W; <u>Burial</u> <u>Receptacle</u>: None (identified by excavators as an *ustrinum*, but bones not cremated); <u>Grave</u> <u>Goods</u>: None.

# Tomb 66

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Middle Adult (35–50 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: (right) 1 ossicle in lambdoid, (left) 1 ossicle in lambdoid; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head</u> <u>Position</u>: Southwest; <u>Grave Orientation</u>: NE—SW; <u>Burial Receptacle</u>: None; <u>Grave Goods</u>: Askos.

# Tomb 67

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Juvenile (4 ± 1 years); <u>Social Age</u>: Pre-Pubertal Childhood 1 (3–7/8 years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal</u> <u>Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: South; <u>Grave Orientation</u>: N—S; <u>Burial</u> <u>Receptacle</u>: None; <u>Grave Goods</u>: Askos.

# Tomb 68

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Middle Adult (35–50 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: Linear enamel hypoplasia; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E— W; <u>Burial Receptacle</u>: None; <u>Grave Goods</u>: Fragment of a miniature neck amphora, miniature cup.

# Tomb 69

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Adult (20+ years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: Antemortem tooth loss, dental caries; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Flexed; <u>Head Position</u>: East; <u>Grave Orientation</u>: E— W; <u>Burial Receptacle</u>: None; <u>Grave Goods</u>: Fragmented amphora.

# Tomb 70

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Juvenile (6–10 years); <u>Social Age</u>: Pre-Pubertal Childhood 2 (7/8–13/14 years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Burial Receptacle</u>: None; <u>Grave Goods</u>: None.

# Tomb 71

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 3; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: Antemortem tooth loss, dental caries; <u>Nonmetric Traits</u>: Ossicle at lambda, ossicles in lambdoid (1 right, 1 left); <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Burial Receptacle</u>: None; <u>Grave Goods</u>: None.

# Tomb 75

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: Linear enamel hypoplasia, congenital absence of RM<sub>3</sub>; <u>Nonmetric Traits</u>: (right) 2 ossicles in lambdoid suture; <u>Animal Bone</u>: None; <u>Body</u> <u>Position</u>: Supine; <u>Head Position</u>: Southwest; <u>Grave Orientation</u>: SW—NE; <u>Burial Receptacle</u>: None; <u>Grave Goods</u>: None.

# Tomb 77

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: Antemortem tooth loss; <u>Nonmetric Traits</u>: (right) supraorbital accessory foramen, metopic suture; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: North; <u>Grave Orientation</u>: N—S; <u>Burial Receptacle</u>: None; <u>Grave Goods</u>: Skyphos, unguentarium, miniature cup.

# Tomb 83

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 5; <u>Chronological Age</u>: Adult (20+ years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: (left) 1 ossicle in lambdoid suture; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: N—S; <u>Burial Receptacle</u>: *a cappuccina*; <u>Grave Goods</u>: None.

# Tomb 84

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: Dental caries; <u>Nonmetric Traits</u>: Ossicle at lambda; <u>Animal Bone</u>: None; <u>Body Position</u>: Unknown; <u>Head Position</u>: Unknown; <u>Grave</u> <u>Orientation</u>: E—W; <u>Burial Receptacle</u>: *a cappuccina*; <u>Grave Goods</u>: Bronze needle.

# Tomb 85

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Burial Receptacle</u>: *a cappuccina*; <u>Grave Goods</u>: None.

# Tomb 86

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 5; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: Linear enamel hypoplasia, antemortem tooth loss; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: South; <u>Grave Orientation</u>: N—S; <u>Burial Receptacle</u>: None; <u>Grave Goods</u>: None.

# Tomb 87

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: North; <u>Grave Orientation</u>: N—S; <u>Burial</u> <u>Receptacle</u>: None; <u>Grave Goods</u>: None.

# Tomb 88

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: (left) 3 ossicles in lambdoid; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Burial Receptacle</u>: None; <u>Grave Goods</u>: None.

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Adolescent (17–20 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: Dental caries, linear enamel hypoplasia; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: Northeast; <u>Grave Orientation</u>: NE—SW; <u>Burial Receptacle</u>: *a cappuccina*; <u>Grave Goods</u>: Olpe.

#### Tomb 91

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 5; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Unknown; <u>Head Position</u>: Unknown; <u>Grave Orientation</u>: E—W; <u>Burial</u> <u>Receptacle</u>: *a cappuccina*; <u>Grave Goods</u>: Nail.

### Tomb 98

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 5; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: Linear enamel hypoplasia, antemortem tooth loss; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Burial Receptacle</u>: None; <u>Grave Goods</u>: None; <u>Note</u>: Possible sub-Saharan African ancestry.

#### **Tomb 101**

<u>Minimum Number of Individuals</u>: 2; <u>Completeness</u>: 50–75%/1–25%; <u>Preservation</u>: Both Grade 3; <u>Chronological Age</u>: Old Adult (50+ years)/Indeterminate; <u>Social Age</u>: Adult (17+ years)/Unknown; <u>Sex</u>: Both Indeterminate; <u>Stature</u>: Both Indeterminate; <u>Pathology</u>: Antemortem tooth loss/None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine/Unknown; <u>Head Position</u>: East/Unknown; <u>Grave Orientation</u>: E—W; <u>Burial Receptacle</u>: None; <u>Grave Goods</u>: Skyphos, olpe, miniature cup, bronze pot.

#### **Tomb 102**

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Adolescent (16–20 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: LM<sub>2</sub> roots fused, shovel-shaped incisors; <u>Animal Bone</u>: None; <u>Body Position</u>: Unknown; <u>Head Position</u>: Unknown; <u>Grave Orientation</u>: E—W; <u>Burial Receptacle</u>: None (identified by excavators as an *ustrinum*, but bones not cremated); <u>Grave Goods</u>: Miniature black-figure cup, unguentarium.

#### **Tomb 108**

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Indeterminate; <u>Social Age</u>: Unknown; <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Unknown; <u>Head Position</u>: Unknown; <u>Grave Orientation</u>: Unknown; <u>Burial Receptacle</u>: Circle of stones; <u>Grave Goods</u>: Silver coin in pyxis (441–440/435 BCE).

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 5; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: Dental caries; <u>Nonmetric Traits</u>: None; <u>Animal</u> <u>Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Burial</u> <u>Receptacle</u>: None; <u>Grave Goods</u>: None.

### **Tomb 118**

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Adult (20+ years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: Antemortem tooth loss; <u>Nonmetric Traits</u>: None; <u>Animal</u> <u>Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Burial</u> <u>Receptacle</u>: None; <u>Grave Goods</u>: None.

### **Tomb 120**

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Adolescent (17–20 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Burial Receptacle</u>: None; <u>Grave Goods</u>: None.

### Tombs 125

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Indeterminate; <u>Social Age</u>: Unknown; <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Burial Receptacle</u>: None; <u>Grave Goods</u>: Olpe, fragmented amphora.

# Tomb 126

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: Ossicles in lambdoid (2 each side), (right) ossicle at parietal notch; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head</u> <u>Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Burial Receptacle</u>: None; <u>Grave Goods</u>: Guttus, miniature cup.

#### **Tomb 130**

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Indeterminate; <u>Social Age</u>: Unknown; <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Flexed; <u>Head Position</u>: West; <u>Grave Orientation</u>: E—W; <u>Burial Receptacle</u>: None; <u>Grave Goods</u>: None.

#### **Tomb 132**

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Flexed; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Burial Receptacle</u>: None; <u>Grave Goods</u>: None.

### **Tomb 134**

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: Ossicles in the lambdoid (1 on each side); <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Burial Receptacle</u>: None; <u>Grave Goods</u>: None.

### Tomb 135

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: Porotic hyperostosis, dental caries; <u>Nonmetric</u> <u>Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Flexed; <u>Head Position</u>: Southeast; <u>Grave</u> <u>Orientation</u>: NW—SE; <u>Burial Receptacle</u>: None; <u>Grave Goods</u>: None.

#### Tomb 138

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Indeterminate; <u>Social Age</u>: Unknown; <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Unknown; <u>Head Position</u>: Unknown; <u>Grave Orientation</u>: Unknown; <u>Burial Receptacle</u>: None; <u>Grave Goods</u>: Fragmented amphora, fragmented bowl.

#### **Tomb 148**

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: Linear enamel hypoplasia, dental caries; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Burial Receptacle</u>: None; <u>Grave Goods</u>: Lamp.

#### **Tomb 149**

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: Linear enamel hypoplasia; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Unknown; <u>Head Position</u>: Unknown; <u>Grave</u> <u>Orientation</u>: E—W; <u>Burial Receptacle</u>: None (identified by excavators as an *ustrinum*, but bones not cremated); <u>Grave Goods</u>: None.

#### **Tomb 154**

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: Linear enamel hypoplasia; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E— W; <u>Burial Receptacle</u>: None; <u>Grave Goods</u>: None.

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 5; <u>Chronological Age</u>: Juvenile (11–12 years); <u>Social Age</u>: Pre-Pubertal Childhood 2 (7/8–13/14 years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: Linear enamel hypoplasia; <u>Nonmetric Traits</u>: (right) 1 ossicle in lambdoid; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: South; <u>Grave Orientation</u>: N—S; <u>Burial Receptacle</u>: *a cappuccina*; <u>Grave Goods</u>: None.

### **Tomb 161**

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Indeterminate; <u>Social Age</u>: Unknown; <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: Parietal foramen (right and left); <u>Animal</u> <u>Bone</u>: None; <u>Body Position</u>: Unknown; <u>Head Position</u>: North; <u>Grave Orientation</u>: N—S; <u>Burial</u> <u>Receptacle</u>: None; <u>Grave Goods</u>: None.

### Tomb 178

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: Shovel-shaped incisors; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: West; <u>Grave Orientation</u>: E—W; <u>Burial Receptacle</u>: None; <u>Grave Goods</u>: Miniature olpe.

#### **Tomb 184**

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 5; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: Shovel-shaped incisors; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Burial Receptacle</u>: None; <u>Grave Goods</u>: None.

#### **Tomb 185**

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: Shovel-shaped incisors, ossicle at lambda, parietal foramen (right and left); <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: West; <u>Grave Orientation</u>: E—W; <u>Burial Receptacle</u>: None; <u>Grave Goods</u>: Miniature fragmented olpe.

#### **Tomb 188**

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Flexed; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Burial Receptacle</u>: None; <u>Grave Goods</u>: None.

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: Linear enamel hypoplasia; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Unknown; <u>Head Position</u>: Unknown; <u>Grave</u> <u>Orientation</u>: E—W; <u>Burial Receptacle</u>: *a cappuccina*; <u>Grave Goods</u>: None; <u>Note</u>: Possible sub-Saharan African ancestry.

#### **Tomb 194**

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: Possible leukemia?; <u>Nonmetric Traits</u>: Shovelshaped incisors; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave</u> <u>Orientation</u>: E—W; <u>Burial Receptacle</u>: None; <u>Grave Goods</u>: Farming instruments, cup, fragmented olpe.

#### **Tomb 206**

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Middle Adult (35–50 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: Dental caries, linear enamel hypoplasia; <u>Nonmetric Traits</u>: Shovel-shaped incisors; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head</u> <u>Position</u>: Northeast; <u>Grave Orientation</u>: NE—SW; <u>Burial Receptacle</u>: None; <u>Grave Goods</u>: None.

### **Tomb 213**

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Adult (20+ years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: Nuchal spike; (left) parietal foramen, (left) 3 ossicles in lambdoid; <u>Animal Bone</u>: None; <u>Body Position</u>: Unknown; <u>Head Position</u>: Unknown; <u>Grave Orientation</u>: NE—SW; <u>Burial Receptacle</u>: *a cappuccina*; <u>Grave Goods</u>: None.

# **Tomb 217**

<u>Minimum Number of Individuals</u>: 2; <u>Completeness</u>: Both 1–25%; <u>Preservation</u>: Grade 4/Grade 5; <u>Chronological Age</u>: Young Adult (20–35 years)/Indeterminate; <u>Social Age</u>: Adult (17+ years)/ Unknown; <u>Sex</u>: Both Indeterminate; <u>Stature</u>: Both Indeterminate; <u>Pathology</u>: None; <u>Nonmetric</u> <u>Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Unknown; <u>Head Position</u>: Unknown; <u>Grave</u> <u>Orientation</u>: E—W; <u>Burial Receptacle</u>: None; <u>Grave Goods</u>: Miniature cup with seashell, amphora.

#### **Tomb 219**

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 25–50%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Burial Receptacle</u>: None; <u>Grave Goods</u>: None.

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Middle Adult (35–50 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: Linear enamel hypoplasia; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E— W; <u>Burial Receptacle</u>: None; <u>Grave Goods</u>: None.

### **Tomb 226**

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Adolescent (15 ± 3 years); <u>Social Age</u>: Pubertal Childhood (13/14–17 years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Burial Receptacle</u>: Covered with tiles; <u>Grave Goods</u>: Olpe.

### Tomb 228A

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Unknown; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Burial</u> <u>Receptacle</u>: None; <u>Grave Goods</u>: Miniature olpe, miniature cup.

### **Tomb 234**

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 25–50%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: Ossicles at asterion (right and left), (left) 3 ossicles at lamdboid; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head</u> <u>Position</u>: Northeast; <u>Grave Orientation</u>: NE—SW; <u>Burial Receptacle</u>: None; <u>Grave Goods</u>: Miniature cup.

#### **Tomb 236**

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Adolescent (19–20 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: Linear enamel hypoplasia, dental caries; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: North; <u>Grave Orientation</u>: N—S; <u>Receptacle</u>: None; <u>Grave Goods</u>: None.

#### **Tomb 240**

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Unknown; <u>Head Position</u>: Unknown; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: *a cappuccina*; <u>Grave Goods</u>: Olpe, miniature black-figure cup, lekythos.

# **Tomb 242**

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 5; <u>Chronological Age</u>: Adult (20+ years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: Antemortem tooth loss; <u>Nonmetric Traits</u>: None; <u>Animal</u> <u>Bone</u>: None; <u>Body Position</u>: Unknown; <u>Head Position</u>: Unknown; <u>Grave Orientation</u>: N—S; <u>Receptacle</u>: *a cappuccina*; <u>Grave Goods</u>: None.

#### Tomb 250

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Flexed; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: None; <u>Grave Goods</u>: None.

### **Tomb 255**

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Adolescent (17–20 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: Linear enamel hypoplasia; <u>Nonmetric Traits</u>: Shovel-shaped incisors; <u>Animal Bone</u>: None; <u>Body Position</u>: Unknown; <u>Head Position</u>: Unknown; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: *a cappuccina*; <u>Grave Goods</u>: Olpe .

### Tomb 259

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Middle Adult (35–50 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: Tooth broken antemortem; <u>Nonmetric Traits</u>: Shovel-shaped incisors; <u>Animal Bone</u>: None; <u>Body Position</u>: Unknown; <u>Head Position</u>: Unknown; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: None; <u>Grave Goods</u>: None.

#### **Tomb 275**

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Juvenile (7 ± 2 years); <u>Social Age</u>: Pre-Pubertal Childhood 1 (3–7/8 years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal</u> <u>Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: None; <u>Grave Goods</u>: None.

#### Tomb 280

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Middle Adult (35–50 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: Shovel-shaped incisors; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: None; <u>Grave Goods</u>: None.

#### Tomb 281

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: None; <u>Grave Goods</u>: None.

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 5; <u>Chronological Age</u>: Old Adult (50+ years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: Healing sharp force trauma; <u>Nonmetric Traits</u>: Ossicle at lambda; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: None; <u>Grave Goods</u>: None.

#### Tomb 290

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: Northeast; <u>Grave Orientation</u>: NE—SW; <u>Receptacle</u>: None; <u>Grave Goods</u>: Miniature olpe.

### **Tomb 294**

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: None; <u>Grave Goods</u>: Lekythos, olpe, olpe outside of grave.

### Tomb 313

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: Shovel-shaped incisors; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: None; <u>Grave Goods</u>: Fragmented olpe.

#### **Tomb 318**

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Adolescent (~16 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body</u> <u>Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: None; <u>Grave</u> <u>Goods</u>: None.

#### Tomb 319

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: Dental calculus; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: None; <u>Grave Goods</u>: None.

#### Tomb 321

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 25–50%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: Linear enamel hypoplasia, dental caries; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: None; <u>Grave Goods</u>: Lekythos, needle.

### Tomb 322

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: (left) 1 ossicle in the lambdoid suture; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: West; <u>Grave</u> <u>Orientation</u>: E—W; <u>Receptacle</u>: None; <u>Grave Goods</u>: Fragmented miniature black-figure cup.

### Tomb 323

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 5; <u>Chronological Age</u>: Adult (20+ years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body</u> <u>Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: None; <u>Grave</u> <u>Goods</u>: None.

### Tomb 333

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 5; <u>Chronological Age</u>: Middle Adult (35–50 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: Possible trepanation?; <u>Nonmetric Traits</u>: Ossicle at lambda, (left) 5 ossicles at lambdoid, (right) 3 ossicles at lambdoid; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: None; <u>Grave Goods</u>: None.

#### Tomb 343

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Indeterminate; <u>Social Age</u>: Unknown; <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: *a cappuccina*; <u>Grave Goods</u>: Olpe, small bronze coin (317–210 BCE).

#### Tomb 345

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Adolescent (16–17 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: Parietal foramen (right and left); <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave</u> <u>Orientation</u>: E—W; <u>Receptacle</u>: None; <u>Grave Goods</u>: None.

#### Tomb 352

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Unknown; <u>Head Position</u>: Unknown; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: *a cappuccina*; <u>Grave Goods</u>: None.

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Juvenile (4 ± 1 years); <u>Social Age</u>: Pre-Pubertal Childhood 1 (3–7/8 years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal</u> <u>Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: None; <u>Grave Goods</u>: None.

#### Tomb 380

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Indeterminate; <u>Social Age</u>: Unknown; <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Unknown; <u>Head Position</u>: Unknown; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: *a cappuccina*; <u>Grave Goods</u>: Miniature cup outside of the tomb.

### Tomb 388

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: Dental caries; <u>Nonmetric Traits</u>: None; <u>Animal</u> <u>Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: None; <u>Grave Goods</u>: None.

### Tomb 399

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Juvenile (6–7 years); <u>Social Age</u>: Pre-Pubertal Childhood 1 (3–7/8 years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal</u> <u>Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: Southeast; <u>Grave Orientation</u>: NW—SE; <u>Receptacle</u>: None; <u>Grave Goods</u>: Olpe, kylix, kantharos.

# **Tomb 404**

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Indeterminate; <u>Social Age</u>: Unknown; <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: (right) enlarged parietal foramina; <u>Animal</u> <u>Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: *a cappuccina*; <u>Grave Goods</u>: None.

#### **Tomb 410**

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Indeterminate; <u>Social Age</u>: Unknown; <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: (right) parietal foramina; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: None; <u>Grave Goods</u>: None.

#### **Tomb 413**

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Indeterminate; <u>Social Age</u>: Unknown; <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: Craniosynostosis; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body</u> <u>Position</u>: Unknown; <u>Head Position</u>: Unknown; <u>Grave Orientation</u>: Unknown; <u>Receptacle</u>: Small fossa with traces of burning; <u>Grave Goods</u>: 2 burned cups, miniature burned olpe, oinochoe.

#### **Tomb 416**

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 5; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: None; <u>Grave Goods</u>: None.

#### **Tomb 417**

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 5; <u>Chronological Age</u>: Indeterminate; <u>Social Age</u>: Unknown; <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Flexed; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: None; <u>Grave Goods</u>: None.

#### **Tomb 418**

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 5; <u>Chronological Age</u>: Indeterminate; <u>Social Age</u>: Unknown; <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: None; <u>Grave Goods</u>: None.

#### **Tomb 431**

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 5; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: LM<sub>2</sub> has fused roots; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: None; <u>Grave Goods</u>: Olpe.

#### **Tomb 432**

<u>Minimum Number of Individuals</u>: 2; <u>Completeness</u>: Both 1–25%; <u>Preservation</u>: Both Grade 4; <u>Chronological Age</u>: Middle Adult (35–50 years)/Adult (20+ years); <u>Social Age</u>: Both Adult (17+ years); <u>Sex</u>: Both Indeterminate; <u>Stature</u>: Both Indeterminate; <u>Pathology</u>: None/Blunt force trauma; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine/Unknown; <u>Head</u> <u>Position</u>: South/Unknown; <u>Grave Orientation</u>: N—S; <u>Receptacle</u>: None; <u>Grave Goods</u>: Amphora.

#### **Tomb 433**

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 5; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: Dental caries; <u>Nonmetric Traits</u>: None; <u>Animal</u> <u>Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: Tomb made of stone slabs (<u>tomba a cassetta</u>); <u>Grave Goods</u>: Lekythos, iron nail.

#### **Tomb 438**

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 25–50%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Middle Adult (35–50 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>:

Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: None; <u>Grave Goods</u>: Thin sheet of fragmented metal, miniature pot, coin (400–350 BCE).

### **Tomb 441**

<u>Minimum Number of Individuals</u>: 3, commingled remains; <u>Completeness</u>: All 1–25%; <u>Preservation</u>: All Grade 4; <u>Chronological Age</u>: All Adults (20+ years); <u>Social Age</u>: All Adults (17+ years); <u>Sex</u>: All Indeterminate; <u>Stature</u>: All Indeterminate; <u>Pathology</u>: Healed periostitis; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: Northeast; <u>Grave Orientation</u>: NE—SW; <u>Receptacle</u>: None; <u>Grave Goods</u>: None (body position and head position comes from excavator's notes, so at least one of the individuals must have been in this position).

#### **Tomb 442**

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 5; <u>Chronological Age</u>: Adolescent (16–20 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Unknown; <u>Head Position</u>: Unknown; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: *a cappuccina*; <u>Grave Goods</u>: None.

### Tomb 446

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: Northeast; <u>Grave Orientation</u>: NE—SW; <u>Receptacle</u>: *a cappuccina*; <u>Grave Goods</u>: Seashell.

#### **Tomb 449**

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 25–50%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Adolescent (17–20 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: Mastoid foramen extrasutural (right and left); <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: None; <u>Grave Goods</u>: Mirror, lamp, unguentarium.

#### Tomb 451

<u>Minimum Number of Individuals</u>: 2; <u>Completeness</u>: Both 1–25%; <u>Preservation</u>: Grade 5/Grade 4; <u>Chronological Age</u>: Both Young Adults (20–35 years); <u>Social Age</u>: Both Adults (17+ years); <u>Sex</u>: Both Indeterminate; <u>Stature</u>: Both Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None/2 ossicles at lambda; <u>Animal Bone</u>: None; <u>Body Position</u>: Both Supine; <u>Head Position</u>: Both East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: None; <u>Grave Goods</u>: Unguentarium, two fragmented nails.

#### **Tomb 453**

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 25–50%; <u>Preservation</u>: Grade 5; <u>Chronological Age</u>: Indeterminate; <u>Social Age</u>: Indeterminate; <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: Southwest; <u>Grave Orientation</u>: NE—SW; <u>Receptacle</u>: None; <u>Grave Goods</u>: Needle, pyxis.

#### **Tomb 456**

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Adolescent (14–19 years); <u>Social Age</u>: Pubertal Childhood (13/14–17 years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: Parietal foramina (right and left); <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: None; <u>Grave Goods</u>: Miniature amphora.

#### **Tomb 458**

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 5; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: Linear enamel hypoplasia, dental caries, dental crowding; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: None; <u>Grave Goods</u>: None.

#### **Tomb 460**

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 25–50%; <u>Preservation</u>: Grade 5; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: Dental caries; <u>Nonmetric Traits</u>: Shovelshaped incisors; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: Northeast; <u>Grave</u> <u>Orientation</u>: NE—SW; <u>Receptacle</u>: None; <u>Grave Goods</u>: None.

#### **Tomb 463**

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Indeterminate; <u>Social Age</u>: Unknown; <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: None; <u>Grave Goods</u>: None.

#### **Tomb 466**

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 25–50%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: Shovel-shaped incisors; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: None; <u>Grave Goods</u>: Pitcher, 2 skyphoi, olpe, unguentarium, illegible silver coin.

#### **Tomb 467**

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 25–50%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Middle Adult (35–50 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: NE—SW; <u>Receptacle</u>: None; <u>Grave Goods</u>: None.

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 5; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: Impacted third mandibular molars; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: Northeast; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: None; <u>Grave Goods</u>: None.

#### Tomb 471

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 25–50%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: (right) highest nuchal line, (left) parietal foramen; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: South; <u>Grave Orientation</u>: N—S; <u>Receptacle</u>: None; <u>Grave Goods</u>: None.

### Tomb 473

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: Dental caries; <u>Nonmetric Traits</u>: None; <u>Animal</u> <u>Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: West; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: None; <u>Grave Goods</u>: None.

### Tomb 476

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 25–50%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Adolescent (19–20 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: None; <u>Grave Goods</u>: Unguentarium.

#### **Tomb 478**

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 25–50%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Adult (20+ years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: Antemortem tooth loss; <u>Nonmetric Traits</u>: None; <u>Animal</u> <u>Bone</u>: None; <u>Body Position</u>: Flexed; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: None; <u>Grave Goods</u>: None.

#### Tomb 479

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Juvenile (2–3 years); <u>Social Age</u>: Pre-Pubertal Childhood 2 (3–7/8 years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal</u> <u>Bone</u>: None; <u>Body Position</u>: Unknown; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: None; <u>Grave Goods</u>: 2 needles.

#### Tomb 480

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: Congenital absence of third mandibular molar; <u>Nonmetric Traits</u>: Shovel shaped incisors; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head</u> <u>Position</u>: Southeast; <u>Grave Orientation</u>: SE—NW; <u>Receptacle</u>: None; <u>Grave Goods</u>: Cup, lamp.

#### Tomb 481

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 25–50%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Adolescent (14–15 years); <u>Social Age</u>: Pubertal Childhood (13/14–17 years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: None; <u>Grave Goods</u>: None.

#### **Tomb 483**

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 25–50%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: Healed periostitis, linear enamel hypoplasia; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: West; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: None; <u>Grave Goods</u>: Oinochoe, 2 lamps.

#### **Tomb 484**

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 25–50%; <u>Preservation</u>: Grade 5; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: Ossicle at lambda; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: None; <u>Grave Goods</u>: None.

#### **Tomb 487**

<u>Minimum Number of Individuals</u>: 2; <u>Completeness</u>: 25–50%/1–25%; <u>Preservation</u>: Grade 5/Grade 4; <u>Chronological Age</u>: Adolescent (16–18 years)/Adult (20+ years); <u>Social Age</u>: Both Adult (17+ years); <u>Sex</u>: Both Indeterminate; <u>Stature</u>: Both Indeterminate; <u>Pathology</u>: Osteomyelitis, cribra orbitalia, sharp force trauma/None; <u>Nonmetric Traits</u>: Metopic suture/None; <u>Animal Bone</u>: None; <u>Body Position</u>: Unknown; <u>Head Position</u>: Unknown; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: None; <u>Grave Goods</u>: None.

#### **Tomb 489**

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 5; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: Unfused sphenooccipital synchondrosis, (right) bridging of supraorbital notch; <u>Animal Bone</u>: None; <u>Body</u> <u>Position</u>: Flexed; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: None; <u>Grave</u> <u>Goods</u>: None.

#### **Tomb 492**

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 5; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: Linear enamel hypoplasia; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Unknown; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: None; <u>Grave Goods</u>: None.

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 5; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: South; <u>Grave Orientation</u>: N—S; <u>Receptacle</u>: None; <u>Grave Goods</u>: None.

#### **Tomb 495**

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 25–50%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: ~166–167 cm; <u>Pathology</u>: Linear enamel hypoplasia, antemortem tooth loss; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: South; <u>Grave Orientation</u>: N—S; <u>Receptacle</u>: None; <u>Grave Goods</u>: None.

#### **Tomb 496**

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 25–50%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: None; <u>Grave Goods</u>: Miniature pot, pyxis.

#### **Tomb 497**

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 5; <u>Chronological Age</u>: Indeterminate; <u>Social Age</u>: Unknown; <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: None; <u>Grave Goods</u>: None.

#### **Tomb 505**

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 25–50%; <u>Preservation</u>: Grade 5; <u>Chronological Age</u>: Adult (20+ years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body</u> <u>Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: None; <u>Grave</u> <u>Goods</u>: None.

#### **Tomb 508**

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Juvenile (10 ± 2.5 years); <u>Social Age</u>: Pre-Pubertal Childhood 2 (7/8–13/14 years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Unknown; <u>Head Position</u>: Northeast; <u>Grave Orientation</u>: NE—SW; <u>Receptacle</u>: *a cappuccina*; <u>Grave Goods</u>: None.

#### **Tomb 509**

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 25–50%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Adult (20+ years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: (left) parietal foramen; <u>Animal</u> Bone: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: None; <u>Grave Goods</u>: Needle.

#### **Tomb 510**

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 50–75%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: None; <u>Grave Goods</u>: Needle.

### **Tomb 512**

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 50–75%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: Shovel-shaped incisors, parietal foramen (right and left); <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head</u> <u>Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: *a cappuccina*; <u>Grave Goods</u>: None.

### Tomb 515

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 25–50%; <u>Preservation</u>: Grade 5; Adolescent (~15 years); <u>Social Age</u>: Pubertal Childhood (13/14–17 years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: Linear enamel hypoplasia; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: West; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: None; <u>Grave Goods</u>: None.

#### **Tomb 518**

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 25–50%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Adult (20+ years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: Antemortem tooth loss; <u>Nonmetric Traits</u>: (left) parietal foramen; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: None; <u>Grave Goods</u>: 2 oinochoai, needle.

#### **Tomb 521**

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 5; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Unknown; <u>Head Position</u>: Unknown; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: *a cappuccina*; <u>Grave Goods</u>: None.

# **Tomb 522**

<u>Minimum Number of Individuals</u>: 2; <u>Completeness</u>: 25–50%/1–25%; <u>Preservation</u>: Both Grade 4; <u>Chronological Age</u>: Both Indeterminate; <u>Social Age</u>: Both Indeterminate; <u>Stature</u>: Both Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine/Unknown; <u>Head Position</u>: Northeast/Unknown; <u>Grave Orientation</u>: NE—SW; <u>Receptacle</u>: None; <u>Grave Goods</u>: None.

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 25–50%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: Linear enamel hypoplasia; <u>Nonmetric Traits</u>: (right) accessory supraorbital foramen; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head</u> <u>Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: None; <u>Grave Goods</u>: None.

### **Tomb 527**

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 5; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: (left) 2 ossicles in lambdoid, (left) bridging of supraorbital notch; <u>Animal Bone</u>: None; <u>Body Position</u>: Flexed; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: None; <u>Grave Goods</u>: 2 ampullae, skyphos, black-figure kylix.

### **Tomb 528**

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 25–50%; <u>Preservation</u>: Grade 5; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: Antemortem tooth loss; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E— W; <u>Receptacle</u>: None; <u>Grave Goods</u>: Olpe, needle.

#### Tomb 529

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Juvenile (4 ± 1 year); <u>Social Age</u>: Pre-Pubertal Childhood 1 (3–7/8 years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal</u> <u>Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: None; <u>Grave Goods</u>: None.

#### Tomb 530

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 25–50%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Middle Adult (35–50 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: Linear enamel hypoplasia; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E— W; <u>Receptacle</u>: *a cappuccina*; <u>Grave Goods</u>: None.

#### Tomb 531

<u>Minimum Number of Individuals</u>: 2; <u>Completeness</u>: Both 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Both Indeterminate; <u>Social Age</u>: Both Unknown; <u>Sex</u>: Both Indeterminate; <u>Stature</u>: Both Indeterminate; <u>Pathology</u>: Antemortem tooth loss/None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine/Unknown; <u>Head Position</u>: East/Unknown; <u>Grave</u> <u>Orientation</u>: E—W; <u>Receptacle</u>: None; <u>Grave Goods</u>: None.

#### Tomb 534

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 25–50%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: North; <u>Grave Orientation</u>: N—S; <u>Receptacle</u>: None; <u>Grave Goods</u>: None.

#### **Tomb 535**

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: Dental caries; <u>Nonmetric Traits</u>: Doublerooted P<sup>4</sup>; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: South; <u>Grave Orientation</u>: N—S; <u>Receptacle</u>: None; <u>Grave Goods</u>: Silver ring.

### Tomb 537

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 25–50%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: ~148–152 cm; <u>Pathology</u>: Linear enamel hypoplasia; <u>Nonmetric Traits</u>: Ossicle at lambda; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave</u> <u>Orientation</u>: E—W; <u>Receptacle</u>: *a cappuccina*; <u>Grave Goods</u>: Lamp, pyxis.

### **Tomb 538**

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 25–50%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Adult (20+ years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: Antemortem tooth loss; <u>Nonmetric Traits</u>: None; <u>Animal</u> <u>Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: None; <u>Grave Goods</u>: Miniature amphora and multiple nails (exact number of nails uncertain).

#### Tomb 539

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 25–50%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Adult (20+ years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: Periostitis (tibia), craniosynostosis; <u>Nonmetric Traits</u>: Ossicle at lambda, (right) 15 ossicles at lambdoid, (left) 12 ossicles at lambdoid; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: None; <u>Grave Goods</u>: None.

#### **Tomb 540**

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Adult (20+ years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body</u> <u>Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: None; <u>Grave</u> <u>Goods</u>: None.

#### **Tomb 541**

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 25–50%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: Periodontal disease; <u>Nonmetric Traits</u>: Ossicle at lambda, (right) 8 ossicles at lambdoid, (left) 10 ossicles at lambdoid; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: None; <u>Grave</u> <u>Goods</u>: None.

#### Tomb 545

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 25–50%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: Dental caries, linear enamel hypoplasia; <u>Nonmetric Traits</u>: Bifurcated root RP<sub>3</sub>, unfused mandibular 3<sup>rd</sup> molar roots, (left) parietal foramen; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: None; <u>Grave Goods</u>: None.

### **Tomb 547**

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 25–50%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: Dental caries; <u>Nonmetric Traits</u>: None; <u>Animal</u> <u>Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: None; <u>Grave Goods</u>: Group of needles, coin (360–238 BCE), 2 rings, plate, base of a jug, unguentarium, miniature rhyton, miniature cup.

### Tomb 550

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 25–50%; <u>Preservation</u>: Grade 5; <u>Chronological Age</u>: Adult (20+ years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: ~145–152 cm; <u>Pathology</u>: Skin ulcer; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: None; <u>Grave</u> <u>Goods</u>: 2 olpai, unguentarium, cup.

#### **Tomb 553**

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: Parietal foramen (right and left); <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave</u> <u>Orientation</u>: E—W; <u>Receptacle</u>: None; <u>Grave Goods</u>: Olpe, lamp, lekythos, needle, unguentarium, column.

#### Tomb 555

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Indeterminate; <u>Social Age</u>: Unknown; <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Flexed; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: None; <u>Grave Goods</u>: None.

#### **Tomb 556**

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 25–50%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: Dental caries; <u>Nonmetric Traits</u>: (right) 4 ossicles at lambdoid; <u>Animal Bone</u>: None; <u>Body Position</u>: Flexed; <u>Head Position</u>: East; <u>Grave</u> <u>Orientation</u>: E—W; <u>Receptacle</u>: None; <u>Grave Goods</u>: Lamp.

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 25–50%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Adult (20+ years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body</u> <u>Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: None; <u>Grave</u> <u>Goods</u>: None.

### Tomb 558

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 25–50%; <u>Preservation</u>: Grade 5; <u>Chronological Age</u>: Indeterminate; <u>Social Age</u>: Unknown; <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: None; <u>Grave Goods</u>: None.

### Tomb 561

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 25–50%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Indeterminate; <u>Social Age</u>: Unknown; <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: None; <u>Grave Goods</u>: None.

### Tomb 563

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 25–50%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: *a cappuccina*; <u>Grave Goods</u>: Olpe, cup, lamp, unguentarium.

#### Tomb 566

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Middle Adult (35–50 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: Antemortem tooth loss; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Flexed; <u>Head Position</u>: Northeast; <u>Grave Orientation</u>: NE—SW; <u>Receptacle</u>: None; <u>Grave Goods</u>: None.

#### Tomb 567

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 25–50%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: None; <u>Grave Goods</u>: Olpe, unguentarium.

#### **Tomb 568**

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Adolescent (12–17 years); <u>Social Age</u>: Pubertal Childhood (13/14–17 years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: Periostitis (tibia); <u>Nonmetric</u> <u>Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: Southeast; <u>Grave</u> <u>Orientation</u>: NW—SE; <u>Receptacle</u>: None; <u>Grave Goods</u>: None.

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 25–50%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Adult (20+ years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body</u> <u>Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: *a cappuccina*; <u>Grave Goods</u>: 2 olpai, needle.

### **Tomb 572**

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 25–50%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: None; <u>Grave Goods</u>: Coin (461–440/435 BCE), lamp, unguentarium, bowl, skyphos, olpe.

### **Tomb 573**

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 25–50%; <u>Preservation</u>: Grade 5; <u>Chronological Age</u>: Indeterminate; <u>Social Age</u>: Unknown; <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: Degenerative joint disease; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: None; <u>Grave Goods</u>: Lamp, olpe.

### Tomb 576

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: None; <u>Grave Goods</u>: None.

# **Tomb 577**

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 25–50%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: North; <u>Grave Orientation</u>: N—S; <u>Receptacle</u>: None; <u>Grave Goods</u>: None.

#### Tomb 585

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Indeterminate; <u>Social Age</u>: Unknown; <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Unknown; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: None; <u>Grave Goods</u>: Miniature cup, charcoal fragment.

#### **Tomb 589**

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Juvenile (7 ± 2 years); <u>Social Age</u>: Pre-Pubertal Childhood 2 (7/8–13/14 years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: Linear enamel hypoplasia; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Unknown; <u>Head Position</u>: Unknown; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: None; <u>Grave Goods</u>: Cup.

#### **Tomb 598**

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Adult (20+ years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body</u> <u>Position</u>: Supine; <u>Head Position</u>: North; <u>Grave Orientation</u>: N—S; <u>Receptacle</u>: *a cappuccina*; <u>Grave Goods</u>: Miniature bottle.

### Tomb 605

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 25–50%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Unknown; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: *a cappuccina*; <u>Grave Goods</u>: None.

### Tomb 605a

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Indeterminate; <u>Social Age</u>: Unknown; <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: Shovel-shaped incisors; <u>Animal Bone</u>: None; <u>Body Position</u>: Unknown; <u>Head Position</u>: Unknown; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: *a cappuccina*; <u>Grave Goods</u>: None.

# Tomb 617a

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Adult (20+ years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: Healing blunt force trauma; <u>Nonmetric Traits</u>: None; <u>Animal</u> <u>Bone</u>: None; <u>Body Position</u>: Unknown; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: *a cappuccina*; <u>Grave Goods</u>: Skyphos, guttus.

# Tomb 625

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: Linear enamel hypoplasia, antemortem tooth loss; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Unknown; <u>Head Position</u>: Unknown; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: None; <u>Grave Goods</u>: None.

# Tomb 626

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 5; <u>Chronological Age</u>: Adult (20+ years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body</u> <u>Position</u>: Supine; <u>Head Position</u>: North; <u>Grave Orientation</u>: N—S; <u>Receptacle</u>: None; <u>Grave</u> <u>Goods</u>: None.

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: None; <u>Grave Goods</u>: None.

### Tomb 631

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Indeterminate; <u>Social Age</u>: Unknown; <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: Healed periostitis, <u>Nonmetric Traits</u>: Ossicles at lambdoid (side not recordable); <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: North; <u>Grave</u> <u>Orientation</u>: N—S; <u>Receptacle</u>: *a cappuccina*; <u>Grave Goods</u>: Skyphos, lamp.

### Tomb 632

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 25–50%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Indeterminate; <u>Social Age</u>: Unknown; <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: Porotic hyperostosis; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: *a cappuccina*; <u>Grave Goods</u>: Skyphos, unguentarium, miniature lamp, fragmented pyxis.

### Tomb 651

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 5; <u>Chronological Age</u>: Adolescent (13–17 years); <u>Social Age</u>: Pubertal Childhood (13/14–17 years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Unknown; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: *a cappuccina*; <u>Grave Goods</u>: 2 unguentaria.

# Tomb 651a

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 25–50%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: Linear enamel hypoplasia; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Unknown; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: *a cappuccina*; <u>Grave Goods</u>: Fragmented bowl, unguentarium.

#### Tomb 653

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Adult (20+ years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: Linear enamel hypoplasia; <u>Nonmetric Traits</u>: None; <u>Animal</u> <u>Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: None, but two amphora halves covering the head and feet of the skeleton; <u>Grave Goods</u>: Unguentarium, lekythos.

#### Tomb 657

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Indeterminate; <u>Social Age</u>: Unknown; <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: Porotic hyperostosis; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: North; <u>Grave Orientation</u>: N—S; <u>Receptacle</u>: *a cappuccina*; <u>Grave Goods</u>: Olpe, lamp, 2 coins (400–350 BCE).

### Tomb 658

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 5; <u>Chronological Age</u>: Indeterminate; <u>Social Age</u>: Unknown; <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: Ossicles at lambdoid (2 left, 2 right); <u>Animal</u> <u>Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: *a cappuccina*; <u>Grave Goods</u>: None.

### Tomb 660

<u>Minimum Number of Individuals</u>: 2; <u>Completeness</u>: Both 1–25%; <u>Preservation</u>: Both Grade 4; <u>Chronological Age</u>: Both Adult (20+ years); <u>Social Age</u>: Both Adult (17+ years); <u>Sex</u>: Both Indeterminate; <u>Stature</u>: Both Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal</u> <u>Bone</u>: None; <u>Body Position</u>: Both Supine; <u>Head Position</u>: Both East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: None; <u>Grave Goods</u>: Unguentarium, miniature fragmented figurine.

### Tomb 688

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Indeterminate; <u>Social Age</u>: Unknown; <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: Healed periostitis; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: None; <u>Grave Goods</u>: Lamp.

# Tomb 692

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 25–50%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: None; <u>Grave Goods</u>: None.

#### Tomb 693

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 25–50%; <u>Preservation</u>: Grade 5; <u>Chronological Age</u>: Juvenile (11 ± 2.5 years); <u>Social Age</u>: Pre-Pubertal Childhood 2 (7/8–13/14 years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: North; <u>Grave Orientation</u>: N—S; <u>Receptacle</u>: None, but covered with 4–5 rocks; <u>Grave Goods</u>: None.

#### Tomb 694

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 25–50%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Adolescent (12 ± 2.5 years); <u>Social Age</u>: Pre-Pubertal Childhood 1 (13/14– 17 years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: Shovel-shaped incisors; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: North; <u>Grave Orientation</u>: N—S; <u>Receptacle</u>: None; <u>Grave Goods</u>: Seashell.

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 25–50%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Unknown; <u>Head Position</u>: West; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: *a cappuccina*; <u>Grave Goods</u>: None.

#### Tomb 703

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Adult (20+ years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: (right) ossicle at parietal notch; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: None; <u>Grave Goods</u>: None.

#### Tomb 703a

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 25–50%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Unknown; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: None; <u>Grave Goods</u>: Fragmented amphora, fragmented basin.

#### Tomb 707

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Indeterminate; <u>Social Age</u>: Unknown; <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: Linear enamel hypoplasia; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: None; <u>Grave Goods</u>: None.

# Tomb 709

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 5; <u>Chronological Age</u>: Indeterminate; <u>Social Age</u>: Unknown; <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Unknown; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: None (but 10 nails might indicate wooden coffins?); <u>Grave Goods</u>: 10 nails, lamp, unguentarium.

#### **Tomb 717**

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Unknown; <u>Head Position</u>: Unknown; <u>Grave Orientation</u>: W—SW; <u>Receptacle</u>: *a cappuccina*; <u>Grave Goods</u>: None.

#### **Tomb 754**

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 5; <u>Chronological Age</u>: Indeterminate; <u>Social Age</u>: Unknown; <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Unknown; <u>Head Position</u>: Unknown; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: None; <u>Grave Goods</u>: None.

#### Tomb 756

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 5; <u>Chronological Age</u>: Indeterminate; <u>Social Age</u>: Unknown; <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: North; <u>Grave Orientation</u>: N—S; <u>Receptacle</u>: None; <u>Grave Goods</u>: Kylix.

### **Tomb 757**

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Adult (20+ years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: Dental caries; <u>Nonmetric Traits</u>: 1 ossicle at lamboid (side unknown); <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: None; <u>Grave Goods</u>: None.

#### **Tomb 758**

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Middle Adult (35–50 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: None; <u>Grave Goods</u>: Oinochoe, lekythos, olpe.

#### Tomb 759

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Adolescent (17–20 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: Dental caries; <u>Nonmetric Traits</u>: None; <u>Animal</u> <u>Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: None; <u>Grave Goods</u>: Bowl, unguentarium.

# Tomb 770

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 25–50%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Indeterminate; <u>Social Age</u>: Unknown; <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: None; <u>Grave Goods</u>: Cup, miniature amphora.

# **Tomb 772**

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 5; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: South; <u>Grave Orientation</u>: N—S; <u>Receptacle</u>: None; <u>Grave Goods</u>: None.

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: Dental caries; <u>Nonmetric Traits</u>: Metopic suture, ossicle at lambda; <u>Animal Bone</u>: None; <u>Body Position</u>: Unknown; <u>Head Position</u>: Unknown; <u>Grave Orientation</u>: NE—SW; <u>Receptacle</u>: *a cappuccina*; <u>Grave Goods</u>: Black-figure guttus, black-figure lekythos, black-figure kylix, miniature black-figure mug, needle.

#### **Tomb 778**

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>:1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: Antemortem tooth loss; <u>Nonmetric Traits</u>: Shovel shaped incisors, (right) parietal foramen; <u>Animal Bone</u>: None; <u>Body Position</u>: Unknown; <u>Head Position</u>: Unknown; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: *a cappuccina*; <u>Grave Goods</u>: None.

#### **Tomb 787**

<u>Minimum Number of Individuals</u>: 2; <u>Completeness</u>: Both 1–25%; <u>Preservation</u>: Both Grade 4; <u>Chronological Age</u>: Both Indeterminate; <u>Social Age</u>: Both Unknown; <u>Sex</u>: Both Indeterminate; <u>Stature</u>: Both Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Unknown; <u>Head Position</u>: Unknown; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: *a cappuccina*; <u>Grave Goods</u>: Lekythos, skyphos.

#### Tomb 818

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>:1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Juvenile (~12 years); <u>Social Age</u>: Pre-Pubertal Childhood 2 (7/8–13/14 years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: Bridging of the supraorbital notch (right and left); <u>Animal Bone</u>: None; <u>Body Position</u>: Unknown; <u>Head</u> <u>Position</u>: Unknown; <u>Grave Orientation</u>: NE—SW; <u>Receptacle</u>: *a cappuccina*; <u>Grave Goods</u>: None.

# Tomb 822

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 5; <u>Chronological Age</u>: Indeterminate; <u>Social Age</u>: Unknown; <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: Blunt force trauma; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: North; <u>Grave Orientation</u>: N—S; <u>Receptacle</u>: *a cappuccina*; <u>Grave Goods</u>: None.

#### Tomb 829

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 25–50%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Adult (20+ years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: Antemortem tooth loss; <u>Nonmetric Traits</u>: None; <u>Animal</u> <u>Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: *a cappuccina*; <u>Grave Goods</u>: None.

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Indeterminate; <u>Social Age</u>: Unknown; <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Unknown; <u>Head Position</u>: Unknown; <u>Grave Orientation</u>: ENE—WSW; <u>Receptacle</u>: *a cappuccina*; <u>Grave Goods</u>: Fragmented skyphos.

#### Tomb 859

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 25–50%; <u>Preservation</u>: Grade 3; <u>Chronological Age</u>: Adolescent (~14 years); <u>Social Age</u>: Pubertal Childhood (13/14–17 years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal</u> <u>Bone</u>: None; <u>Body Position</u>: Unknown; <u>Head Position</u>: Unknown; <u>Grave Orientation</u>: NE—SW; <u>Receptacle</u>: *a cappuccina*; <u>Grave Goods</u>: Lekythos, miniature bowl, black-figure unguentarium.

#### Tomb 861

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 25–50%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Unknown; <u>Head Position</u>: Unknown; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: *a cappuccina*; <u>Grave Goods</u>: None.

### Tomb 862a

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 5; <u>Chronological Age</u>: Adult (20+ years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body</u> <u>Position</u>: Unknown; <u>Head Position</u>: Unknown; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: None; <u>Grave Goods</u>: None.

#### Tomb 863

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 5; <u>Chronological Age</u>: Indeterminate; <u>Social Age</u>: Unknown; <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Unknown; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: *a cappuccina*; <u>Grave</u> <u>Goods</u>: Fragmented black-figure skyphos outside of the tomb, black-figure fragments, fragment of bronze needle inside of the tomb.

#### Tomb 868

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 25–50%; <u>Preservation</u>: Grade 5; <u>Chronological Age</u>: Indeterminate; <u>Social Age</u>: Unknown; <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: Northeast; <u>Grave Orientation</u>: NE—SW; <u>Receptacle</u>: None; <u>Grave</u> <u>Goods</u>: 2 coarseware lamps, bronze needle, fragmented basin.

#### Tomb 870

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Adult (20+ years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: Porotic hyperostosis; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: None; <u>Grave Goods</u>: 2 miniature cups, 2 lekythoi.

### Tomb 873

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 5; <u>Chronological Age</u>: Juvenile (8 ± 2 years); <u>Social Age</u>: Pre-Pubertal Childhood 2 (7/8–13/14 years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: <u>Nonmetric Traits</u>: None; <u>Animal</u> <u>Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: Northeast; <u>Grave Orientation</u>: NE—SW; <u>Receptacle</u>: None; <u>Grave Goods</u>: Large fragmented coarseware basin.

### Tomb 874

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 5; <u>Chronological Age</u>: Juvenile (6 ± 2 years); <u>Social Age</u>: Pre-Pubertal Childhood 1 (3–7/8 years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal</u> <u>Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: Northeast; <u>Grave Orientation</u>: NE—SW; <u>Receptacle</u>: None; <u>Grave Goods</u>: None.

### Tomb 876

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 25–50%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Adult (20+ years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: ~146–152 cm; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body</u> <u>Position</u>: Supine; <u>Head Position</u>: West; <u>Grave Orientation</u>: NE—SW; <u>Receptacle</u>: *a cappuccina*; <u>Grave Goods</u>: None.

#### Tomb 878

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: None; <u>Grave Goods</u>: None.

#### Tomb 880

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: West; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: *a cappuccina*; <u>Grave Goods</u>: None.

#### Tomb 883

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 25–50%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Adult (20+ years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: Pituitary dwarfism?; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Flexed; <u>Head Position</u>: West; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: None; <u>Grave Goods</u>: None.

### Tomb 885a

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Unknown; <u>Head Position</u>: Unknown; <u>Grave Orientation</u>: Unknown; <u>Receptacle</u>: Amphora; <u>Grave Goods</u>: Unknown.

#### Tomb 888

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 25–50%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Middle Adult (35–50 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: ~147–152 cm; <u>Pathology</u>: Linear enamel hypoplasia; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: West; <u>Grave Orientation</u>: NE—SW; <u>Receptacle</u>: *a cappuccina*; <u>Grave Goods</u>: None.

### Tomb 891

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Adolescent (~15 years); <u>Social Age</u>: Pubertal Childhood (13/14–17 years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: Shovel-shaped incisors; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: North; <u>Grave Orientation</u>: N—S; <u>Receptacle</u>: *a cappuccina*; <u>Grave Goods</u>: None.

### Tomb 895

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Indeterminate; <u>Social Age</u>: Unknown; <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: Northeast; <u>Grave Orientation</u>: NE—SW; <u>Receptacle</u>: None; <u>Grave</u> <u>Goods</u>: None.

# Tomb 903

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 5; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: Shovel-shaped incisors; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: *a cappuccina*; <u>Grave Goods</u>: None.

#### Tomb 905

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Flexed; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: None; <u>Grave Goods</u>: None.

#### **Tomb 914**

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 25–50%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: Fused roots of M2s; <u>Animal Bone</u>: None; <u>Body Position</u>: Supine; <u>Head Position</u>: Southeast; <u>Grave Orientation</u>: SE— NW; <u>Receptacle</u>: None; <u>Grave Goods</u>: Unguentarium, miniature cup.

#### Tomb 919

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 25–50%; <u>Preservation</u>: Grade 3; <u>Chronological Age</u>: Adult (20+ years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body</u> <u>Position</u>: Supine; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: None; <u>Grave</u> <u>Goods</u>: Basin.

### Tomb 927

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Middle Adult (35–50 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Unknown, looted by clandestini; <u>Head Position</u>: Unknown, looted by clandestini; <u>Grave Orientation</u>: Unknown, looted by clandestini; <u>Receptacle</u>: *a cappuccina*; <u>Grave Goods</u>: Unknown, looted by clandestini.

### Tomb 962

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 25–50%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Juvenile (3–12 years); <u>Social Age</u>: Pre-Pubertal Childhood 1 (3–7/8 years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal</u> <u>Bone</u>: None; <u>Body Position</u>: Unknown; <u>Head Position</u>: East; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: *a cappuccina*; <u>Grave Goods</u>: Kylix.

# **Tomb 975**

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 25–50%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: Impacted RM<sup>3</sup>; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Unknown; <u>Head Position</u>: Unknown; <u>Grave Orientation</u>: E—W; <u>Receptacle</u>: *a cappuccina*; <u>Grave Goods</u>: Amphora.

#### Tomb 1015

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 25–50%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Adolescent (~16 years); <u>Social Age</u>: Pubertal Childhood (13/14–17 years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal</u> <u>Bone</u>: None; <u>Body Position</u>: Unknown; <u>Head Position</u>: Unknown; <u>Grave Orientation</u>: Unknown; <u>Receptacle</u>: Unknown; <u>Grave Goods</u>: Unknown.

#### Tomb 1018

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Juvenile (3–12 years); <u>Social Age</u>: Pre-Pubertal Childhood 2 (7/8–13/14 years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Unknown; <u>Head Position</u>: Unknown; <u>Grave Orientation</u>: Unknown; <u>Receptacle</u>: Unknown; <u>Grave Goods</u>: Unknown.

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 25–50%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Adolescent (13–18 years); <u>Social Age</u>: Pubertal Childhood (13/14–17 years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Unknown; <u>Head Position</u>: Unknown; <u>Grave Orientation</u>: Unknown; <u>Receptacle</u>: Unknown; <u>Grave Goods</u>: Unknown.

#### Tomb 1027

<u>Minimum Number of Individuals</u>: 2; <u>Completeness</u>: 50–75%/1–25%; <u>Preservation</u>: Both Grade 4; <u>Chronological Age</u>: Young Adult (20–35 years)/Adolescent (~16–17 years); <u>Social Age</u>: Adult (17+ years)/Pubertal Childhood (13/14–17 years); <u>Sex</u>: Both Indeterminate; <u>Stature</u>: Both Indeterminate; <u>Pathology</u>: Linear enamel hypoplasia/None; <u>Nonmetric Traits</u>: (right) supraorbital bridging/None; <u>Animal Bone</u>: None; <u>Body Position</u>: Unknown; <u>Head Position</u>: Unknown; <u>Grave</u> <u>Orientation</u>: Unknown; <u>Receptacle</u>: Unknown; <u>Grave Goods</u>: Unknown.

#### Tomb 1035

<u>Minimum Number of Individuals</u>: 2; <u>Completeness</u>: Both 25–50%; <u>Preservation</u>: Both Grade 4; <u>Chronological Age</u>: Young Adult (20–35 years)/Infant (1–3/4 years); <u>Social Age</u>: Adult (17+ years)/Infant (0–2 years); <u>Sex</u>: Both Indeterminate; <u>Stature</u>: Both Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: Shovel-shaped incisors/None; <u>Animal Bone</u>: None; <u>Body Position</u>: Unknown; <u>Head Position</u>: Unknown; <u>Grave Orientation</u>: Unknown; <u>Receptacle</u>: Unknown; <u>Grave Goods</u>: Unknown.

#### Tomb 1037

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Indeterminate; <u>Social Age</u>: Unknown; <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Unknown; <u>Head Position</u>: Unknown; <u>Grave Orientation</u>: Unknown; <u>Receptacle</u>: Unknown; <u>Grave Goods</u>: Unknown.

#### Tomb 1043

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 5; <u>Chronological Age</u>: Indeterminate; <u>Social Age</u>: Unknown; <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Unknown; <u>Head Position</u>: Unknown; <u>Grave Orientation</u>: Unknown; <u>Receptacle</u>: Unknown; <u>Grave Goods</u>: Unknown.

#### Tomb 1907

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 5; <u>Chronological Age</u>: Indeterminate; <u>Social Age</u>: Unknown; <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Unknown; <u>Head Position</u>: Unknown; <u>Grave Orientation</u>: Unknown; <u>Receptacle</u>: Unknown; <u>Grave Goods</u>: Unknown.

#### No Number 1 (NN1)

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 25–50%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Unknown; <u>Head Position</u>: Unknown; <u>Grave Orientation</u>: Unknown; <u>Receptacle</u>: Unknown; <u>Grave Goods</u>: Unknown.

#### No Number 2 (NN2)

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Juvenile (7 ± 2 years); <u>Social Age</u>: Pre-Pubertal Childhood 2 (7/8–13/14 years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Unknown; <u>Head Position</u>: Unknown; <u>Grave Orientation</u>: Unknown; <u>Receptacle</u>: Unknown; <u>Grave Goods</u>: Unknown.

#### No Number 3 (NN3)

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 25–50%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Adult (20+ years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body</u> <u>Position</u>: Unknown; <u>Head Position</u>: Unknown; <u>Grave Orientation</u>: Unknown; <u>Receptacle</u>: Unknown; <u>Grave Goods</u>: Unknown.

#### No Number 4 (NN4)

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 25–50%; <u>Preservation</u>: Grade 5; <u>Chronological Age</u>: Young Adult (20–35 years); <u>Social Age</u>: Adult (17+ years); <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: Linear enamel hypoplasia, dental caries, impacted LM<sup>3</sup>; <u>Nonmetric Traits</u>: None; <u>Animal Bone</u>: None; <u>Body Position</u>: Unknown; <u>Head</u> <u>Position</u>: Unknown; <u>Grave Orientation</u>: Unknown; <u>Receptacle</u>: Unknown; <u>Grave Goods</u>: Unknown.

#### No Number 5 (NN5)

<u>Minimum Number of Individuals</u>: 1; <u>Completeness</u>: 1–25%; <u>Preservation</u>: Grade 4; <u>Chronological Age</u>: Indeterminate; <u>Social Age</u>: Unknown; <u>Sex</u>: Indeterminate; <u>Stature</u>: Indeterminate; <u>Pathology</u>: None; <u>Nonmetric Traits</u>: (left) 2 ossicles in lambdoid suture; <u>Animal</u> <u>Bone</u>: None; <u>Body Position</u>: Unknown; <u>Head Position</u>: Unknown; <u>Grave Orientation</u>: Unknown; <u>Receptacle</u>: Unknown; <u>Grave Goods</u>: Unknown.