

<b>Static Symmetry Tests</b>	<b>All Subjects</b>	<b>Manipulation Success</b>	<b>Manipulation Non-Success</b>	<b>Significance</b>
PSIS symmetry in standing	41%	44%	38%	0.65
ASIS symmetry in standing	36%	41%	33%	0.53
Iliac crest symmetry in standing	33%	34%	33%	0.93
Landmark symmetry in standing	46%	39%	51%	0.35
PSIS symmetry in sitting	31%	31%	31%	0.97
Pubic tubercle symmetry in supine	49%	41%	56%	0.18
Ischial tuberosity heights in prone	41%	35%	46%	0.43
<b>Movement Symmetry Tests</b>				
Standing flexion test	54%	47%	62%	0.22
Seated flexion test	66%	72%	59%	0.26
Long-sitting test	46%	39%	51%	0.35
Prone knee bend test	56%	47%	62%	0.22
Gillet test	60%	66%	56%	0.43
Patrick's test - ROM	54%	50%	59%	0.45
<b>Provocation Tests</b>				
Gaenslen's test	44%	47%	44%	0.78
Posterior shear test	56%	56%	56%	0.99
Compression/Distractio	23%	16%	31%	0.14
Patrick's test – buttock pain	44%	47%	41%	0.62
Patrick's test – groin pain	14%	13%	15%	0.73
Resisted hip abduction	36%	34%	38%	0.72
Sacral sulcus test	67%	75%	62%	0.23
Sacral thrust test	54%	63%	49%	0.25